

Amendments to the Claims

Please cancel Claims 21-41 and amend Claim 16 as shown below. This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims

1. (Previously Amended) A two-component medical device comprising:
 - a) a first component comprising a first flat flexible component having adhesive on a lower surface and a single first elongated connector extending in an offset manner from one edge thereof in a first direction;
 - b) a second component comprising a second flat flexible component having adhesive on a lower surface and a single second elongated connector extending in an offset manner from one edge thereof in a second direction generally opposite to the first direction;
 - c) a first pulling element joined to said first elongated connector and adapted for lateral translation of the first flat flexible component toward a wound edge;
 - d) a second pulling element joined to said second elongated connector and adapted for lateral translation of the second flat flexible component toward the wound edge; and
 - e) means for attaching the first elongated connector to the second flat flexible component and means for attaching the second elongated connector to the first flat flexible component.
2. (Original) The medical device of Claim 1 wherein elements a) - d) are produced from a substantially inelastic material or are produced from an elastic material which is reinforced with an inelastic structural component thereby rendering the device substantially inelastic.
3. (Original) The medical device of Claim 1 which is adapted for removal of the first and second pulling elements following attachment of the bandage.

4. (Original) The medical device of Claim 1, wherein the first and second pulling elements are rigid.
5. (Original) The medical device of Claim 1, wherein the first and second pulling elements are non-rigid, but are reinforced with a rigid element.
6. (Original) The medical device of Claim 1 wherein elements a) - d) are die cut from sheet stock.
7. (Original) The medical device of Claim 1 wherein the edges of the first and second flat flexible components which attach to the skin on opposing sides of a wound or incision are adapted to evert skin edges to promote wound healing.
8. (Original) The medical device of Claim 1 wherein the edges of the first and second flat flexible components are angled or curved to evert the skin edges.
9. (Original) The medical device of Claim 1, wherein a portion of each elongated connector is cut away to increase unobstructed surface area above the wound thereby facilitating drainage of exudates and application of medication.
10. (Original) The medical device of Claim 1, wherein the first and second flat flexible components are adapted for wound closure alignment.
11. (Previously Amended) The medical device of Claim 10 comprising alignment marks on the first and second flat flexible components.
12. (Original) The medical device of Claim 1, which is adapted for transdermal drug delivery.
13. (Original) The medical device of Claim 1 further comprising an elastic tension indication element.

14. (Original) The medical device of Claim 13 wherein the elastic tension indication element is removable with the pulling elements.
15. (Original) The medical device of Claim 1 further comprising a rigid polymer bar attached to the edges of the first and second flat flexible components which are nearest to and substantially parallel the wound or incision.
16. (Currently Amended) A method for closing a wound or incision comprising the steps of:
 - a) providing a medical device comprising:
 - i) a first flat flexible component having adhesive on a lower surface and a single first elongated connector extending in an offset manner from one edge thereof in a first direction;
 - ii) a second flat flexible component having adhesive on a lower surface and a single second elongated connector extending in an offset manner from one edge thereof in a second direction generally opposite to said first direction;
 - iii) a first pulling element joined to said first elongated connector and adapted for lateral translation of the first flat flexible component toward a wound edge;
 - iv) a second pulling element joined to said second elongated connector and adapted for lateral translation of the second flat flexible component toward the wound edge;
 - vi) means for attaching the first elongated connector to the second flat flexible component and means for attaching the second elongated connector to the first flat flexible component; and
 - b) attaching said lower surface of said first flexible component to a patient's skin along a first side of a wound;
 - c) attaching said lower surface of said second flexible component to the patient's skin along a second side of said wound;
 - d) pulling simultaneously said first and second pulling elements until said elongated connector is subjected to a tension sufficient to close the wound or incision;

- e) attaching said first elongated connector to said second flexible component; and
 - f) attaching said second elongated connector to said first flexible component.
17. (Original) The method of Claim 16 further comprising the steps of:
- a) removing said first pulling element from said first elongated connector; and
 - b) removing said second pulling element from said second elongated connector.
18. (Original) The method of Claim 16 further comprising the steps of:
- a) attaching said first pulling element to the patient's skin beside said second flat flexible component; and
 - b) attaching said second pulling element to the patient's skin beside said first flat flexible component.
19. (Previously Amended) The medical device of Claim 1 wherein the first and second elongated connectors are sufficiently spaced-apart to facilitate lateral adjustment of the first flat flexible component relative to the second flat flexible component.
20. (Original) The medical device of Claim 1 wherein the pulling elements have adhesive on the lower surface.

Claims 21-41 cancelled